

FAST MASTER PRODUCTS, INC

P.O. BOX 654
KATY, TEXAS 77942-0654
TEL: (866) 794-8357
FAX: (281) 391-6760
Email: info@cruiserlift.com

SWIVELWHEEL-46

Introducing another addition to the Swivelwheel single wheel trailer line, with the new Swivelwheel-46 trailer. Unlike the Swivelwheel-78 and Swivelwheel-58 models that require a full size or mid sized vehicle for towing, the Swivelwheel-46 system was designed to be towed behind any vehicle with a Class-III or Class-IV receiver installed. These receivers are a 2" x 2" ID receiver.



Features Include:

- ❑ Deck Dimension - 4' Long x 6' Wide.
- ❑ System Weight = 270 Pounds.
- ❑ 3" x 1" Rectangular Steel Tubing. No Angle Iron Frame.
- ❑ 2" x 2" Stake Bed Receivers for tie down points or mounting of stake-bed sides.
- ❑ 3/4" Pressure Treated & Painted Plywood Deck.
- ❑ Torsion Axle Suspension.
- ❑ Friction Rotor Assembly.
- ❑ 5.70 x 8", D-Rated, 8-Ply, Highway Speed Trailer Tire.
- ❑ Supplied Hitch (Right) utilizes the standard Class-III or Class-IV Receiver.
- ❑ Front Jack Stand Legs with Wheels for moving the system around while disconnected from the tow vehicle.
- ❑ 600 Pound Load Capacity.
- ❑ Safety Chains.
- ❑ DOT Specified Integrated Lighting System with 4-Wire Flat Trailer Plug.
- ❑ Level Deck Height @ 25³/₄".
- ❑ Tailgate may be lowered with the Swivelwheel-46 system hooked up.



Available Options:

❑ Loading Ramp Package

3-Piece Set Includes:

- Two Outside Ramps 7'-5" long x 12" wide with a 750 pound load rating.
- The Center Ramp is 7'-5" long x 15" wide with a 1500 pound load rating. All ramps interlock with each other.

❑ Spare Tire & Wheel.

❑ E-Track Mounting.

❑ E-Track Mounting Adapters.



The Swivelwheel-46 system has a weight capacity of 600 pounds. Even though the Swivelwheel-46 system has a lower weight rating, there are a number of uses for this product. Examples of loads include generators, bicycles, coolers, camping equipment, scooters, electric wheelchairs, etc.

The deck dimensions of the Swivelwheel-46 system are 6' wide x 4' long. All Swivelwheel systems include regulation DOT lighting.



The tailgate to the pickup may be lowered (Below) to receive cargo with the swivelwheel-46 connected. You could load an ATV into the pickup, shut the tailgate and load another onto the Swivelwheel-46 deck.



The Swivelwheel-46 system may be loaded from either the rear or the sides. The swivelwheel-46 system was not designed to transport full size motorcycles. If transporting full size bikes, refer to the Swivelwheel-78 or swivelwheel-58 systems. These products may be viewed at www.swivelwheel.com.



With the optional Flip-Up Adapter, the Swivelwheel-46 system may be flipped up (while disconnected from the tow vehicle) onto its front or rear for storage in a garage or where limited space is available.

One of the greatest problems, especially in restricted communities is having room to store a trailer. If it is not out of sight, you get one of those nasty letters from the homeowners association. With the Swivelwheel-46 Flip-Up option, the system can be flipped up and stored in the garage, or behind the garage. One person can flip the system up and move it around. As stated earlier, the system may be used for a multitude of tasks including transporting lawn care equipment,



hauling building materials, or carrying camping equipment to your favorite site.

With a total weight of 270 pounds, the Swivelwheel-46 system is easy to pull around. You don't have to worry about fishtailing or jackknifing. The system will always track with you. If you back up to the right, the system backs up to the right.

-End-